1952

File No. E.S.T. 1552

B CLASS

PW DEPARTMENT

F. BRANCH

Subject :—

Estabh—, Temporary

P.W.E. to Govt.

Sanction of—

B[K] 1952

File No. EST 1552

Sto. Sectt. Slip 24-A

Pt III

No. A-1-9/B/E/ 10678 of 1952,

Poona 1, 5th September 1952.

To

The Secretary to Government,
Public Works Department, Bombay 1.

Sub:- KARNATAK PUBLIC HEALTH WORKS DIVN.,DHARWAR.
Additional Establishment for the
Sub-Divisions.

The Karnatak Sanitary Project Sub-Division, Dharwar and the Hubli Sanitary Sub-Divn., Hubli, which are under the control of the Executive Engineer, Karnatak Public Health Works Division, Dharwar, are short of one peon each. The justification for creation of the posts of peon on the temporary establishment at each office, is as under:-

(1) The Karnatak Sanitary Project Sub-Divn., Dharwar.

The present strength of class IV servants in this office is only 3 peons and 1 chowkidar. The jurisdiction of this Sub-Division is spread over the whole Karnatak region. The S.D.O. is therefore, very often required to go on tour for inspection of works in progress such as Kundgol Water Supply etc., and investigations of Public Health Projects in this area. Leaving aside two peons, one of whom is intended for personal attention on the S.D.O. and the other for touring, only one peon will be available for work in office. The Sub-Divisional Office, therefore, finds it very difficult to manage the office work with only one peon, when the Sub-Divisional Officer is on tour, as that peon can hardly discharge the multiferious duties, such as bringing post, going to Bank for cashing cheques and remittance, opening of office, cleaning etc., with desired efficiency. Moreover, according to the orders issued in Government Resolution, Finance Department No. 7983/33, dated the 20th May 1952, the following strength of peons is admissible for the Sub-Division. -

		No.of peons required.	
(1) The Sub-Divisional Officer (Class II Officer).		1	For personal attendance.
		1	For touring.
(2) Office Staff -			
(a) Overseers.	4 Nos.		
(b) Senior Clerk.	1 No.	2	
(c) Junior Clerks.	2 Nos.		
(d) Asstt.D'Man.	1 No.		
(e) Tracer..	1 No.		
	9 Nos.		
Total		4	Nos.
The existing strength.	..	3	Nos.
Additional required.	..	1	No.

(2) Hubli Sanitary Sub-Division, Hubli.

In addition to the main work of Hubli Water Supply of the Neersagar Scheme for which the Sub-Division has been opened, this Sub-Division has to look after survey and preparation of plans and estimates for many other Municipal se projects, such as - (i) Guledgud Water Supply, (ii) Gadag Betgeri Drainage, (iii) Guledgud Drainage, and (iv) Gokak Water Supply, etc., and as such, the Sub-Divisional Officer has to do considerable touring. The present strength of class IV establishment of the Sub-Division, is only 2 peons, excluding the Chowkidar. Besides, as pointed out above in

P.T.O.

in respect of the Karnatak Sanitary Project Sub-Division, this Sub-Division is also short of one post of a peon, according to the standard strength of IV grade establishment, as detailed below :-

	No.of peons required.	
1). The Sub-Divisional Officer (Class II Officer).	1	For personal attendance.
	1	For tour.
2). Office staff - (a) Overseers. 4 Nos.) (b) Senior Clerk. 1 No.) (c) Junior Clerks.3 Nos.)	1	
Total	3 Nos.	
Present strength. ...	2 Nos.	
Additional staff required.	1 No.	
	3 Nos.	

2. In view of the above, Government may please be moved to accord sanction to the creation of two posts of peons, i.e. one for each of the above Sub-Divisions, in the scale of Rs. 30-1/2-35, at an early date.

xx
Public Health Engineer to Government.

D.A. Nil.
DWK/4-9-52.

Copy forwarded with compliments, for information, to the Executive Engineer, Karnatak Public Health Works Divn., Dharwar, with reference to his No. G-14/A/5146, dated the 22nd July 1952.

F
8-7
W. 1
EST-1552
83080

EST 1552
83080.

P.W.D.

F. Br:-

On the circumstances explained by the P.H.E. in his letter at pp. 1-2 cfs, sanction may be accorded to the appointment of one peon* each for the Karnataka Sanitary Project Sub-Dn. and the Public Sanitary Sub-Dn. upto the 28-2-53, in the first instance. The F.D. may see u.o.

*Pay: x a l é. R. 30-1/2-35

Thro: X. Br.

Req: Expln:

17-9-52. The P.H.E. will be asked to meet expdre. incurred from within the current year's grants.

17/9/52

D.S.

21-9-52

u.o.

[illegible] to the F.D. [illegible]

FINANCE DEPARTMENT
23/9/52
38886.

2

Finance Department, VIII.

Seen and returned to the P.W.D. with the following remarks.

2. The Karnatak Sanitary Project Sub-Dn. Dharwar:

According to para 4 of the G.R., F.D. No.7983/33 dt.20.5.1952, strength of peons, depends on the strength of the clerical establishment, in an office, ~~in an office~~. Since the clerical establishment of the above sub.Dn. consists of only 3 members (1 Senior Clerk and 2 Jr. Clerks), only one peon becomes admissible to that office. Thus, the existing strength of 3 peons (2 for S.D.O. and 1 for office) is in order and need not be augmented, by an additional peon, as proposed by the P.W.D. The proposal may not be accepted.

3. Hubli Sanitary Sub-Dvn. Hubli:

Existing strength of this Sub-Dn. is as follows:

1 S.D.O. Touring Gazetted Officer
4 Overseers
1 Senior Clerk.
3 Junior Clerks
2 Peons

As a matter of fact, under our ~~revised~~ orders, the strength of peons, admissible to the above Sub-Dn. should be 3 (2 for S.D.O. and 1 for office). It must however, be pointed out that, the orders in G.R. No.7983/33 dt.20.2.52 have been issued, with a view to effect economy in Govt. expenditure, as far as possible. The P.W.D. proposal, to sanction an additional peon, for this Sub.Dn. will therefore defeat, the purpose, underlying the Govt. orders. The standard, prescribed, in our orders, is not to be taken as basis, for augmenting the existing strength of peons. The P.W.D. proposal may not therefore be accepted.

F 17/10

P. W. D. EST 1552 97655

1 Nov 52

9/10/52

14/10/52

3

EST 1552
97655

P.W.D

F.Por.

Submitted with refce. to this Deptt. P.W.O.r, dt. the 17-9-52.

2. For the reasons given by the F.D. in its U.O.r, P.2 dt. the 14-10-52, that Deptt. does not agree with the Deptt. proposal to sanction one addnl. peon each for the Karnatak Samy. Project Sub-Dn. and the Hubli Sanitary Sub-Dn. The F.D's advise may be accepted. The draft.

pp 3-4 c/s

draft put up may 4 issue, if approved.

30/10/62

30.10.62

D.S

3 Letter. EST 1552

~~8~~ 97655

No. EST 1552 F.

P. W. D.,
B. C. (B'bay No. 1)
3rd Nov. ~~Oct~~ 1952.

To

The P. H. E. to Govt.

Subject:- Addnl. estabt. for the Sub-Drs. in the Karnatak P. H. Works Dn., Dharwar.

Pp 1-2

Ref: Your letter No. A-1-9/B/E/ 10678, dt. the 5-9-1952.

2. I am directed to state that your proposal to sanction one addnl. peon each, for the Karnatak

4.

Karnatak. Project Sanitary Sub-Dn.
and the Hubli Sanitary Project
Sub-Dn., cannot be approved.

By order of the G. of B.,
Dy. Secy. to the Govt. of B'bay,
P.W.D.

30/10/52.

ISSUED
Date 4-11-52

D.A.—Nil